

Page 1/10

# Safety data sheet

## Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking** 

### · 1.1 Product identifier

· Trade name: MINERAL THINNER TYPE 1

- Article number: 680-001
- · CAS Number:
- 64742-82-1
- · EC number:
- 265-185-4
- · Index number:
- 649-330-00-2
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Paint Thinner
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

TAMBOUR LTD. Meir Ariel st. 6 Netanya 42504, Israel Phone: +972-9-8925555 www.tambour.co.il

#### · Further information obtainable from:

Phone: \*6477 e-mail: TamSupport@tambour.co.il • **1.4 Emergency telephone number:** Tambour call center: +972-74-7545688 or \*6477

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS08 health hazard

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

IL



# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

#### Trade name: MINERAL THINNER TYPE 1

(Contd. of page 1) GHS07 STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02, GHS07, GHS08, GHS09 · Signal word Danger · Hazard-determining components of labelling: Naphtha (petroleum), hydrodesulfurized heavy · Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H372 Causes damage to the central nervous system through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof electrical/ventilating/lighting equipment. P260 Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. P280 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. • **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.1 Substances
- · CAS No. Description
- 64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy
- · Identification number(s)
- EC number: 265-185-4
- · Index number: 649-330-00-2

(Contd. on page 3)



# Safety data sheet

## Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

#### Trade name: MINERAL THINNER TYPE 1

(Contd. of page 2)

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- $\cdot$  After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
  Wear protective equipment. Keep unprotected persons away.
  6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
  Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
  6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.



Page 4/10

## Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

(Contd. of page 3)

## **Trade name: MINERAL THINNER TYPE 1**

 $\cdot$  Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

·7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

•7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Page 5/10

# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

(Contd. of page 4)

#### **Trade name: MINERAL THINNER TYPE 1**

· Eye/face protection

· Solids content: · Change in condition

· Evaporation rate

Tightly sealed goggles **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: Clear Specific type · Odour: Not determined. · Odour threshold: Undetermined. · Melting point/freezing point: · Boiling point or initial boiling point and boiling 160-210 °C range Flammable. · Flammability · Lower and upper explosion limit Not determined. · Lower: Not determined. · Upper: · Flash point: 38 °C Not determined. · Decomposition temperature: Not determined. ·рН · Viscosity: Not determined. · Kinematic viscosity Not determined. · Dynamic: · Solubility Not miscible or difficult to mix. · water: · Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Vapour pressure: · Density and/or relative density 0.82799 g/cm3 · Density at 20 °C: Not determined. · Relative density Not determined. · Vapour density • 9.2 Other information · Appearance: Fluid · Form: · Important information on protection of health and environment, and on safety. · Ignition temperature: Not determined. Product is not explosive. However, formation of · Explosive properties: explosive air/vapour mixtures are possible. 100.0 % · Organic solvents:

0.0 %

Not determined.

(Contd. on page 6)



# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

#### **Trade name: MINERAL THINNER TYPE 1**

|  |                              | (Contd. of page |
|--|------------------------------|-----------------|
| Information with regard to physical hazard | classes                      |                 |
| Explosives                                 | Void                         |                 |
| Flammable gases                            | Void                         |                 |
| Aerosols                                   | Void                         |                 |
| Oxidising gases                            | Void                         |                 |
| Gases under pressure                       | Void                         |                 |
| Flammable liquids                          | Flammable liquid and vapour. |                 |
| Flammable solids                           | Void                         |                 |
| Self-reactive substances and mixtures      | Void                         |                 |
| Pyrophoric liquids                         | Void                         |                 |
| Pyrophoric solids                          | Void                         |                 |
| Self-heating substances and mixtures       | Void                         |                 |
| Substances and mixtures, which emit flamma | able                         |                 |
| gases in contact with water                | Void                         |                 |
| Oxidising liquids                          | Void                         |                 |
| Oxidising solids                           | Void                         |                 |
| Organic peroxides                          | Void                         |                 |
| Corrosive to metals                        | Void                         |                 |
| Desensitised explosives                    | Void                         |                 |

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure

Causes damage to the central nervous system through prolonged or repeated exposure.

• Aspiration hazard May be fatal if swallowed and enters airways.

(Contd. on page 7)



# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

(Contd. of page 6)

### Trade name: MINERAL THINNER TYPE 1

## · 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

# **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

| · 14.1 UN number or ID number<br>· ADR, IMDG, IATA | UN1300                        |
|--|-------------------------------|
| · 14.2 UN proper shipping name                     |                               |
| ADR  | 1300 TURPENTINE SUBSTITUTE,   |
|  | ENVIRONMENTALLY HAZARDOUS     |
| · IMDG   | TURPENTINE SUBSTITUTE, MARINE |
|  | POLLUTANT                     |
| ·IATA  | TURPENTINE SUBSTITUTE         |
|  | (Contd. on page 8)            |



Page 8/10

# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

**Trade name: MINERAL THINNER TYPE 1** 

|  | (Contd. of page   |  |
|--|---|--|
| 14.3 Transport hazard class(es)                            |   |  |
| ADR, IMDG  |   |  |
|  |   |  |
| Class<br>Label   | 3 Flammable liquids.<br>3   |  |
| ΙΑΤΑ   |   |  |
|  |   |  |
| Class  | 3 Flammable liquids.  |  |
| Label  | 3   |  |
| 14.4 Packing group<br>ADR, IMDG, IATA                      | III   |  |
| 14.5 Environmental hazards:                                | Product contains environmentally hazardo<br>substances: Naphtha (petroleum), hydrodesulfuriz<br>heavy |  |
| Marine pollutant:  | yes yes   |  |
| Special marking (ADR):                                     | Symbol (fish and tree)<br>Symbol (fish and tree)  |  |
| 14.6 Special precautions for user                          | Warning: Flammable liquids.   |  |
| Hazard identification number (Kemler code):<br>EMS Number: | 30<br>F-E,S-E   |  |
| • Stowage Category   | A   |  |
| 14.7 Maritime transport in bulk according to IM            | 0   |  |
| instruments  | Not applicable.   |  |
| Transport/Additional information:                          |   |  |
| ADR  |   |  |
| · Limited quantities (LQ)                                  | 5L  |  |
| Excepted quantities (EQ)                                   | Code: E1  |  |
|  | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml  |  |
| Transport category   | 3   |  |
| Tunnel restriction code                                    | D/E   |  |
| ·IMDG  |   |  |
| Limited quantities (LQ)                                    | 5L  |  |
| Excepted quantities (EQ)                                   | Code: E1  |  |
|  | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml  |  |
|  | (Contd. on pag  |  |



Page 9/10

# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

### Trade name: MINERAL THINNER TYPE 1

(Contd. of page 8)

· UN "Model Regulation":

UN 1300 TURPENTINE SUBSTITUTE, 3, III, ENVIRONMENTALLY HAZARDOUS

# **SECTION 15: Regulatory information**

| <ul> <li>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> </ul> |  |  |  |  |
|--|--|--|--|--|
| The substance is classified and labelled according to the CLP regulation.  |  |  |  |  |
|  | grams GHS02, GHS07, GHS08, GHS09   |  |  |  |
| · Signal word I  | Danger   |  |  |  |
|  | mining components of labelling:  |  |  |  |
|  | oleum), hydrodesulfurized heavy  |  |  |  |
| · Hazard state   |  |  |  |  |
| H226 Flammable liquid and vapour.  |  |  |  |  |
|  | use drowsiness or dizziness.   |  |  |  |
| H372 Causes damage to the central nervous system through prolonged or repeated exposure.   |  |  |  |  |
|  | fatal if swallowed and enters airways.   |  |  |  |
|  | aquatic life with long lasting effects.  |  |  |  |
| • Precautionar   |  |  |  |  |
| P101<br>P102   | If medical advice is needed, have product container or label at hand.<br>Keep out of reach of children.  |  |  |  |
| P102<br>P210   | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No                    |  |  |  |
|  | smoking.   |  |  |  |
| P241   | Use explosion-proof electrical/ventilating/lighting equipment.   |  |  |  |
| P260   | Do not breathe dust/fume/gas/mist/vapours/spray.   |  |  |  |
| P280   | Wear protective gloves/protective clothing/eye protection/face protection.                               |  |  |  |
| P301+P310  | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  |  |  |  |
| P331   | Do NOT induce vomiting.  |  |  |  |
| P303+P361+P  | 2353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |  |  |  |
| P501   | Dispose of contents/container in accordance with local/regional/national/international                   |  |  |  |
|  | regulations.   |  |  |  |
| · Directive 201  | 2/18/EU  |  |  |  |
| · Named dangerous substances - ANNEX I Substance is not listed.  |  |  |  |  |
| · Seveso category  |  |  |  |  |
| E2 Hazardous to the Aquatic Environment  |  |  |  |  |
|  | ABLE LIQUIDS   |  |  |  |
|  | antity (tonnes) for the application of lower-tier requirements 200 t                                     |  |  |  |
| <sup>·</sup> Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t   |  |  |  |  |
|  | ON (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3   |  |  |  |
|  | 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and               |  |  |  |
| electronic equipment – Annex II  |  |  |  |  |
| Substance is n   | ot listed.   |  |  |  |
|  | (Contd. on page 10)  |  |  |  |

(Contd. on page 10)



Page 10/10

# Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 05.12.2023

Version number 1

Revision: 05.12.2023

(Contd. of page 9)

#### Trade name: MINERAL THINNER TYPE 1

#### · REGULATION (EU) 2019/1148

<sup>•</sup> Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

## · Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· National regulations:

• Technical instructions (air):

Class Share in %

NK 100.0

· Waterhazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Tambour Ltd.- Enviroment & Regulation Department.

· Contact: Enviroment & regulation Phone: \*6477 e-mail: TamSupport@tambour.co.il Date of previous version: 12.06.2022 · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \* \* Data compared to the previous version altered.