

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

1. Identification

Product identifier

MasterEmaco T 1200PG also EMACO FAST FLUID

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals

Details of the supplier of the safety data sheet

Company:

BASF Construction Chemicals Italia Spa
Via Vicinale delle Corti, 21
31100 Treviso, ITALY

Telephone: +39 0422 304-251

E-mail address: sicurezzaprodotti.basfcc-italia@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Skin Corr./Irrit. 2

Eye Dam./Irrit. 1

STOT SE 3 (irritating to respiratory system)

For the classifications not written out in full in this section the full text can be found in section 16.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

Label elementsGlobally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye/face protection.
P261	Avoid breathing dust.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P362	IF ON SKIN (or hair): Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

According to UN GHS criteria

Hazard determining component(s) for labelling: Cement, portland, chemicals

Other hazardsAccording to UN GHS criteria

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

modified cement mortar

Hazardous ingredients (GHS)

According to UN GHS criteria

Cement, portland, chemicals

Content (W/W): $\geq 25\%$ - $< 50\%$	Skin Corr./Irrit. 2
CAS Number: 65997-15-1	Eye Dam./Irrit. 1
EC-Number: 266-043-4	STOT SE 3 (irr. to respiratory syst.)
	H318, H315, H335

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Additional information:

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.

Special hazards arising from the substance or mixture

Product is not combustible or explosive. No particular hazards known.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Sweep/shovel up.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Protect from temperatures below: -15 °C

Protect from temperatures above: 40 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Hand protection:

nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure., light protective clothing

General safety and hygiene measures

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	powder
Colour:	grey
Odour:	odourless
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. > 12 (20 °C) (as aqueous suspension)
Melting temperature:	The product has not been tested.
boiling temperature:	The product has not been tested.
Flash point:	Non-flammable.
Evaporation rate:	The product is a non-volatile solid.
Flammability:	not flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Vapour pressure:	The product has not been tested.
Relative vapour density (air):	The product is a non-volatile solid.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

Solubility in water: dispersible
(20 °C)

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic: not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: Based on its structural properties
the product is not classified as
oxidizing.

Other information

Self heating ability: It is not a substance capable of
spontaneous heating.

Bulk density: approx. 1.900 kg/m³

Miscibility with water:

(20 °C)

not soluble

Hygroscopy: hygroscopic

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids

Hazardous decomposition products

:

No hazardous decomposition products if stored and handled as prescribed/indicated.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

Information on: Cement, portland, chemicals

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant.

Information on: Cement, portland, chemicals

Experimental/calculated data:

Serious eye damage/irritation rabbit: irreversible damage

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product gives rise to pH shifts. Based on available Data, the classification criteria are not met.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Not applicable for inorganic substances.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

Elimination information:
not determined

Bioaccumulative potential

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

Bioaccumulation potential:

No data available.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal Considerations

Waste treatment methods

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Waste key:

10 13 11 wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

Contaminated packaging:

Completely emptied packagings can be given for recycling.

14. Transport Information

Land transport

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Inland waterway transport**ADN**

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport**IMDG**

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

user

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.07.2017

Version: 1.0

Product: **MasterEmaco T 1200PG also EMACO FAST FLUID**

(ID no. 30601434/SDS_GEN_IL/EN)

Date of print 05.08.2017

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.