

Page 1/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: CALSIMO PASTE

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• Application of the substance / the mixture Fine putty

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

TAMBOUR LTD. Meir Ariel st. 6 Netanya 42504, Israel Phone: +972-9-8925555 www.tambour.co.il

• Further information obtainable from:

Phone: +972(4)985-3795 e-mail: motiA@tambour.co.il • **1.4 Emergency telephone number:** Tambour call center: +972-74-7545688 or *6477

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:
- 2-methyl-2H-isothiazol-3-one
- · Hazard statements

H317 May cause an allergic skin reaction.

- · Precautionary statements
- *P101* If medical advice is needed, have product container or label at hand.
- *P102 Keep out of reach of children.*
- P103 Read label before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves.
- *P362+P364 Take off contaminated clothing and wash it before reuse.*
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- *P321* Specific treatment (see on this label).
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Page 2/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

(Contd. of page 1)

Trade name: CALSIMO PASTE

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 1332-58-7	kaoline substance with a Community workplace exposure limit	2.5-10%		
CAS: 52-51-7 EINECS: 200-143-0	bronopol (INN) Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<1%		
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; A Skin Corr. 1B, H314; Eye Dam. 1, H318; A Aquatic Acute 1, H400; Aquatic Chronic 1, H410; A Skin Sens. 1A, H317	<1%		
	Chronic 1, H410; \bigcirc Skin Sens. 1A, H317			

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Page 3/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

Trade name: CALSIMO PASTE

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

1332-58-7 kaoline

WEL (Great Britain) Long-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

GB



Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

(Contd. of page 3)

Page 4/8

Trade name: CALSIMO PASTE

• Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical a	nd chemical properties	
General Information Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/freezing point: Initial boiling point and boiling re	Undetermined. a nge: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density:	Not determined.	



Page 5/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

Trade name: CALSIMO PASTE

	(Contd	. of page
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	21.1 %	
VOC Content	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	75.5 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

(Contd. of page 5)

Trade name: CALSIMO PASTE

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	



Page 7/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

(Contd. of page 6)

Trade name: CALSIMO PASTE

• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

• UN "Model Regulation":

Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS07

· Signal word Warning

- *Hazard-determining components of labelling:* 2-methyl-2H-isothiazol-3-one
- · Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

- *P333+P313 If skin irritation or rash occurs: Get medical advice/attention.*
- P321 Specific treatment (see on this label).
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

(Contd. on page 8)

GB



Page 8/8

Safety data sheet SI 2302 adopting EU Regulation (EC) No 1272/2008

Printing date 04.04.2022

Version number 1

Revision: 04.04.2022

Trade name: CALSIMO PASTE

	(Contd. of page 7)
H330 Fatal if inhaled.	
H335 May cause respiratory irritation.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
· Department issuing SDS: Tambour Ltd Health & Safety Department.	
· Contact:	
Moti Adler	
Phone: +972(4)985-3795	
e-mail: motiA@tambour.co.il	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agree	ment Concerning the
International Carriage of Dangerous Goods by Road)	meni Concerning ine
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 4. Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Čategory 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	GB