

Page 1/8

Safety data sheet

Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SUPERCRYL MATT +T

• Article number: 733-803

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

TAMBOUR LTD. Meir Ariel st. 6 Netanya 42504, Israel Phone: +972-9-8925555 www.tambour.co.il

· Further information obtainable from:

Phone: *6477 e-mail: TamSupport@tambour.co.il

• 1.4 Emergency telephone number: Tambour call center: +972-74-7545688 or *6477

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void

· Hazard statements Void

· Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Page 2/8

Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

Trade name: SUPERCRYL MATT +T

| (Contd. of page 1 Dangerous components: | | |
|--|---|---------|
| CAS: 7727-43-7 EINECS: 231-784-4 | barium sulfate | 2.5-10% |
| CAS: 2634-33-5 | 1,2-benzisothiazol-3(2H)-one ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 | <1% |
| CAS: 55965-84-9 | Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$ reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6 \%$ Skin Irrit. 2; H315: 0.06 % $\le C < 0.6 \%$ | <1% |
| CAS: 2682-20-4 | Eye Dam. 1; H318: $C \ge 0.6 \%$ Eye Irrit. 2; H319: 0.06 % $\le C < 0.6 \%$ Skin Sens. 1A; H317: $C \ge 0.0015 \%$ 2-methyl-2H-isothiazol-3-one | <1% |
| | Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C \geq 0.0015 % | |

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

IL



Page 3/8

Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

Trade name: SUPERCRYL MATT +T

(Contd. of page 2)

- \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

•7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: No special measures required.
- ·7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7727-43-7 barium sulfate

WEL (Great Britain) Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Page 4/8

Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

*

Version number 2 (replaces version 1)

Revision: 12.12.2023

(Contd. of page 3)

Trade name: SUPERCRYL MATT +T

• Eye/face protection Goggles recommended during refilling

| SECTION 9: Physical and chemical prop | erties |
|--|---|
| 9.1 Information on basic physical and chemical pr | operties |
| General Information | |
| Physical state | Fluid |
| Colour: | According to product specification |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling | |
| range | 100 °C |
| Flammability | Not applicable. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable. |
| Decomposition temperature: | Not determined. |
| рН | Not determined. |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure at 20 °C: | 23 hPa |
| Density and/or relative density | |
| Density: | Not determined. |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Fluid |
| Important information on protection of health an | d |
| environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Solvent content: | |
| Organic solvents: | 0.8 % |
| Water: | 30.8 % |
| Solids content: | 59.3 % |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard classe | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |



Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

Trade name: SUPERCRYL MATT +T

| | | (Contd. of page 4 |
|---|------|-------------------|
| · Oxidising gases | Void | |
| · Gases under pressure | Void | |
| · Flammable liquids | Void | |
| · Flammable solids | Void | |
| · Self-reactive substances and mixtures | Void | |
| · Pyrophoric liquids | Void | |
| · Pyrophoric solids | Void | |
| · Self-heating substances and mixtures | Void | |
| · Substances and mixtures, which emit flamm | able | |
| gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| · Oxidising solids | Void | |
| · Organic peroxides | Void | |
| · Corrosive to metals | Void | |
| · Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

| 13463-67-7 titanium dioxide | | |
|-----------------------------|----------|---|
| Oral | LD50 | >20,000 mg/kg (rat) |
| Dermal | LD50 | >20,000 mg/kg (rat) >10,000 mg/kg (rabbit) >6.82 mg/l (rat) |
| Inhalative | LC50/4 h | >6.82 mg/l (rat) |

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

(Contd. of page 5)

Trade name: SUPERCRYL MATT +T

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
|--|------|--|
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |



Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

(Contd. of page 6)

Trade name: SUPERCRYL MATT +T

· 14.6 Special precautions for user

Not applicable.

· 14.7 Maritime transport in bulk according to IMO Not applicable.

instruments

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· UN "Model Regulation":

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Technical instructions (air):

| Class | Share in % |
|--------|------------|
| Wasser | 30.8 |
| NK | 0.8 |

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

П.



Page 8/8

Safety data sheet Complying with Israeli Safety at Work Regulations (Safety Data Sheet, Classification, Packaging, Labelling and Marking of Packaging) - 1998 and SI 2302

Printing date 12.12.2023

Version number 2 (replaces version 1)

Revision: 12.12.2023

Trade name: SUPERCRYL MATT +T

| | (Contd. of page |
|--|---|
| Releva | nt phrases |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| | |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUHO | 71 Corrosive to the respiratory tract. |
| Depart | tment issuing SDS: Tambour Ltd Enviroment & Regulation Department. |
| Contac | xt: |
| Enviro | ment & regulation |
| Phone: | |
| e-mail: | TamSupport@tambour.co.il |
| | f previous version: 12.12.2023 |
| | n number of previous version: 1 |
| | viations and acronyms: |
| | ccord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning t |
| | onal Carriage of Dangerous Goods by Road) |
| | nternational Maritime Code for Dangerous Goods |
| | tternational Air Transport Association |
| | obally Harmonised System of Classification and Labelling of Chemicals |
| | : European Inventory of Existing Commercial Chemical Substances |
| | : European List of Notified Chemical Substances memical Abstracts Service (division of the American Chemical Society) |
| | ethal concentration, 50 percent |
| | ethal dose, 50 percent |
| | rsistent, Bioaccumulative and Toxic |
| vPvB: ve | ry Persistent and very Bioaccumulative |
| | xx. 3: Acute toxicity – Category 3 |
| | bx. 4: Acute toxicity – Category 4 |
| Acute Ic | bx. 2: Acute toxicity – Category 2 r. 19: Skin correction/irritationCategory 19 |
| Slin Com | r. 1B: Skin corrosion/irritation – Category 1B r. 1C: Skin corrosion/irritation – Category 1C |
| | t. 2: Skin corrosion/irritation – Category 2 |
| Skin Cor | |
| Skin Cor Skin Irrit | |
| Skin Cor Skin Irrit Eye Dam | n. 1: Serious eye damage/eye irritation – Category 1 is. 1: Skin sensitisation – Category 1 |
| Skin Cor Skin Irrit Eye Dam Skin Sen Skin Sen | n. 1: Serious eye damage/eye irritation – Category 1 is. 1: Skin sensitisation – Category 1 is. 1A: Skin sensitisation – Category 1A |
| Skin Cor Skin Irrit Eye Dam Skin Sen Skin Sen Aquatic | n. 1: Serious eye damage/eye irritation – Category 1 is. 1: Skin sensitisation – Category 1 is. 1A: Skin sensitisation – Category 1A Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 |
| Skin Cor Skin Irrit Eye Dam Skin Sen Skin Sen Aquatic | n. 1: Serious eye damage/eye irritation – Category 1 is. 1: Skin sensitisation – Category 1 is. 1A: Skin sensitisation – Category 1A |